

SAP DIN Optimised is a series of piston pumps with a fixed displacement for demanding mobile hydraulics.

SAP 084, 108 DIN Optimised covers the displacement range 84 and 108 cm³/rev. at a maximum pressure of 400 bar. It is a modern, compact pump which meets the market's high demands on flow performance, pressure, efficiency and small installation dimensions. It is either mounted directly on the power take-off or on a frame bracket via an intermediate shaft.

It is a speed-optimised pump and are therefore supplied for either left (L) or right (R) rotation direction.

The front seals in the pump are made of HNBR to withstand the higher temperatures that occur at engine PTO mounting.

Other advantages:

- Light weight metal casing design
- Smooth operation over the entire speed range
- Long life due to high demands on material selection, such as bearings, seals, etc
- Corrosion free light metal-housing
- Less heat generation due to better ability to dissipate heat through housing

Versions, main data

Example

SA	P	084	L	V	DL4	L35	S0	S	2	00
Line	1	2	3	4	5	6	7	8	9	10

Line	
SA	Sunfab Aluminium

1. Type	
P	Pump

2. Displacement	
084	108

3. Direction of rotation	
R	Right
L	Left

4. Sealing	
V	HNBR

5. Mounting flange	
DL4	DIN 4-h (ISO 7653D)

6. Shaft	
L35	DIN 5462 / ISO 14

7. Connection cover	
S0	40° Sunfab standard


8. Connections	
S	Sunfab standard

9. Additional	
2	Optimized

10. Accessories	
00	No accessories available

Pump SAP 084, 108 DIN Optimised

		084	108
Theoretical oil flow l/min at pump speed	rpm	500	41.8
		1000	83.6
		1500	125.4
			162
Displacement	cm ³ /rev	83.6	108.0
Max pump speed continuous limited	rpm	1800	1800
		2300	2300
Max working pressure	bar	400	400
Weight	kg	13.9	13.9
Dimensions	mm	A	122
		B	147
		C	264
		D	127
		E	133
		F	98
		G	106
		H	118
		ISO G	P
Tare-weight torque (M)	Nm	18.0	18.0
Direction of rotation	Left (L) or Right (R)		





WARNING

When the pump is running:

1. Do not touch the pressure hose
2. Watch out for rotating parts
3. The pump and hoses may be hot

*Sunfab reserves the right to make changes in design and dimensions without notice. Printing and typesetting errors reserved.
© Copyright 2015 Sunfab Hydraulics AB. All Rights Reserved.*